

SECRET

288

(Security Classification)

25X1

ROUTING			
TO:	NAME AND ADDRESS	DATE	INITIALS
1			
2			
3			
4			
	ACTION	DIRECT REPLY	PREPARE REPLY
	APPROVAL	DISPATCH	RECOMMENDATION
	COMMENT	FILE	RETURN
	CONCURRENCE	INFORMATION	SIGNATURE
REMARKS:			
FROM: NAME, ADDRESS, AND PHONE NO.			DATE

CONTROL NO. Z-11511/82

NPIC/PEG (10/82)


COPY _____ OF _____

**Warning Notice**

Intelligence Sources or Methods Involved

NATIONAL SECURITY INFORMATION

Unauthorized Disclosure Subject to Criminal Sanctions

**SECRET**

(Security Classification)

Page Denied

Next 1 Page(s) In Document Denied

SECRET

25X1

(c) NATIONAL PHOTOGRAPHIC INTERPRETATION CENTERPage 1 of 1Attachment to Z-11511/82
NPIC/PEG (10/82)

Copy _____

**NEW PROBABLE AIR DEFENSE GUN
SEVASTOPOL SHIPYARD SEVMORZAVOD 497, USSR**

25X1

1. (SWN) SIGNIFICANCE: A NEW PROBABLE AIR DEFENSE GUN IS ON THE QUAY ADJACENT TO THE SLEPEN FAST PATROL CRAFT (PCF). THE SIZE AND CONFIGURATION OF THE NEW GUN SUGGEST IT IS PROBABLY A NEW POINT DEFENSE WEAPONS SYSTEM, POSSIBLY A FOLLOW-ON TO THE ADMG-630 30MM GATLING GUN CARRIED ABOARD NUMEROUS SOVIET COMBATANTS INCLUDING THE KARA GUIDED MISSILE CRUISER (GC).
2. (SWN) REMARKS: THE GUN WHICH IS SIMILAR IN DIAMETER BUT CONSIDERABLY TALLER THAN THE ADMG-630 AIR DEFENSE GATLING GUN IS APPROXIMATELY _____ IN DIAMETER AND _____ HIGH WITH A BARREL(S) LENGTH OF _____. A PROBABLE RADOME IS MOUNTED ON TOP OF THE GUN ABOVE THE BARREL(S) SIMILAR TO THE U.S.-DESIGNED VULCAN/PHALANX CLOSE-IN WEAPONS SYSTEM.

25X1

25X1

(SWN) THE SLEPEN PCF IS THE VESSEL WHICH WAS UTILIZED TO TEST BOTH THE NEW SINGLE BARRELED 76MM DUAL PURPOSE GUN AND THE ADMG-630 30MM GATLING GUN. THE ADMG-630, FORMERLY MOUNTED ON THE AFT SUPERSTRUCTURE OF THE SLEPEN PCF, HAS BEEN REMOVED, AND THE NEW GUN PROBABLY WILL BE MOUNTED IN ITS PLACE FOR TEST AND EVALUATION.

3. _____ COORDINATES 44-36-43N 033-32-12E

25X1

COMMENTS AND QUERIES REGARDING THIS BRIEFING BOARD MAY BE DIRECTED TO _____

25X1

These notes have been prepared for briefing purposes only and should not be used for detailed analytical work. Their use should be restricted to the particular briefing board(s) they were prepared for and must be considered valid only for the reporting period as indicated by the date of issue.

25X1

WARNING NOTICE
Intelligence Sources
and Methods Involved

SECRET

25X1